

Login & Access

by PRESSAPPS

Documentation

Table of Content

[Installation](#)

[File Structure](#)

[WordPress Installation](#)

[FTP Installation](#)

[Setup & Features](#)

[Styling Default WP Login Page](#)

[Embed Forms](#)

[Modal Forms](#)

[WordPress Menu](#)

[Shortcodes](#)

[User Access Control](#)

[Google reCaptcha](#)

[Social Logins](#)

[Generate Facebook App ID and App Secret](#)

[Generate Twitter Consumer Key \(API Key\) and Consumer Secret \(API Secret\)](#)

[Generate Google Client ID and Client Secret](#)

[Translation](#)

[Support](#)

Installation

File Structure

Extract (Unzip) the plugin download package. Within the download package you'll find the following file structure and contents:

- pressapps-login-access.zip (Installable plugin zip file)
- pressapps-login-access (Plugin folder for FTP upload)
- Login & Access Documentation.pdf (PDF User Documentation)

WordPress Installation

1. Go to **Plugins > Add New**.

2. Under **Upload**, click **Browse**, locate `pressapps-login-access.zip` in your plugin download package and click **Open**.
3. Find the WordPress Plugin you wish to install.
4. Click **Install Now** to install the WordPress Plugin.
5. A popup window will ask you to confirm your wish to install the Plugin.
6. If this is the first time you've installed a WordPress Plugin, you may need to enter the FTP login credential information. If you've installed a Plugin before, it will still have the login information. This information is available through your web server host.
7. Click **Proceed** to continue with the installation. The resulting installation screen will list the installation as successful or note any problems during the install.
8. If successful, click **Activate Plugin** to activate it.

FTP Installation


1. Using a FTP program, upload the plugin folder `pressapps-login-access` located in your plugin download package folder.
2. Go to Plugins screen and find the newly uploaded **PressApps Login & Access** plugin in the list.
3. Click **Activate Plugin** to activate it.

Setup & Features

Navigate to **PressApps > Login & Access** to set up form options and styling and Save Changes.

Styling Default WP Login Page


Change the look and feel of default WP login page under **PressApps > Login & Access > Forms > WP Login**



Embed Forms

Login, register and forgotten password forms can be added to pages using a shortcode generator, the following shortcodes are available:

- Login embed form
- Register embed form
- Forgotten password embed form




Modal Forms


Modal (popup) login and register forms are triggered with links. Trigger links can be added to a site using default WordPress menus or using shortcodes.

WordPress Menu

Navigate to **Appearance > Menus**, under **Edit Menu** open **Login & Access Modal Link**, check Login or Register checkbox, click **Add to Menu** and Save Menu.




If you don't see **Login & Access Modal Link** in left sidebar go to Screen Options and check Login & Access Modal Link under Show on screen.



Shortcodes

The following modal link shortcodes are available:

- Link to trigger modal login form
- Link to trigger modal register form




User Access Control

Access control settings are located under **PressApps > Login & Access > Access**.

- Front End: restrict front end access for non logged in users. You can restrict Access entire site or selected posts, page, posts types, categories and taxonomies
- Dashboard: restrict WP dashboard access for selected user roles

Google reCaptcha

reCaptcha protects your website from spam and abuse while letting real people pass through with ease.



reCaptcha requires Google API keys generated.

Navigate to <https://www.google.com/recaptcha/intro/index.html> and click Get reCaptcha button at the top.

Register new site and copy newly generated keys to plugin options page **PressApps > Login & Access > reCaptcha** set which forms will require reCaptcha and save changes.

A screenshot of the PressApps 'Login & Access' settings page. The left sidebar shows the 'PressApps' menu with 'Login & Access' highlighted. The main content area is titled 'Login & Access' and has tabs for 'Forms', 'Access', 'reCaptcha', 'Social Login', 'Registration', and 'Redirection'. The 'reCaptcha' tab is active, showing the 'Google reCaptcha' settings. Under 'Enable reCaptcha', there are three checkboxes: 'Login' (checked), 'Register' (unchecked), and 'Password Reset' (unchecked). Below these are two text input fields for 'Site Key' and 'Secret Key'. A blue banner at the bottom provides a link to generate reCaptcha keys: <https://www.google.com/recaptcha/intro/index.html>. The 'Login & Access' menu item in the sidebar is highlighted with a red box, and the 'reCaptcha' tab and its settings are also highlighted with red boxes.

Social Logins

Enable users to login using Google, Facebook or Twitter social logins.

Generate Facebook App ID and App Secret

1. Go to <https://developers.facebook.com/> (requires to sign in with facebook account).
2. Click on My Apps, then under the dropdown select Add a New App.

3. A list of choice will popup through a modal after clicking Add a New App, select Website.
4. It will redirect you to Quick Start for Website, just type in the name for the new App and click Create New Facebook App ID.
5. It will prompt you with a message Create (name of the app) App?, select a Category then click Create App ID.
6. It will redirect you to a page named Setup the Facebook SDK for JavaScript.
7. Scroll down under Tell us about your website there is a text field which is Site URL, then type in the url of your website.
8. After it if you will scroll down you can see a Finished! text with a check icon, then your done.
9. Just refresh the page and you will be able to see under My Apps the new App that you created.
10. When you click on your new App you will be able to see App ID , API Version, App Secret.

Generate Twitter Consumer Key (API Key) and Consumer Secret (API Secret)

You must add your mobile phone to your Twitter profile before creating an application.

1. Go to <https://apps.twitter.com/> (requires to sign in with twitter account).
2. Click on Create New App button, then fill up the Application Details including Callback URL which is the home url.
3. You can access your new app, then go to Keys and Access Tokens tab.
4. Under Application Settings you can copy your Consumer Key (API Key) and Consumer Secret (API Secret).


Generate Google Client ID and Client Secret

1. Go to <https://console.developers.google.com>.
2. Click on Create a project under the dropdown.
3. In the Project name field, type in a name for your project then click on Create button.
4. In the sidebar under API Manager, select Credentials, and click the OAuth consent screen tab. Choose an Email Address, specify a Product Name, and click Save.

5. Click Create a new Client ID, a dialog box appears.
6. In the Application type section of the dialog, select Web application.
7. In the Authorized JavaScript origins field, enter the origin for your app. You can enter multiple origins to allow for your app to run on different protocols, domains, or subdomains. Wildcards are not allowed. (URL of your website).
8. In the Authorized redirect URI field, delete the default value and add `http://dev:8888/wp-content/plugins/pressapps-fullscreen-login/public/lib/hybridauth/?hauth.done=Google` then click Save.
9. IMPORTANT! Enable Google+ API or your app will not work. To enable Google+ API, in the sidebar under API Manager, select Overview then click on Google APIs tab and under Social APIs click on Google+ API , then click on Enable API button.

Translation

1. The plugin is translation ready, please follow the steps bellow:
2. Download and install Poedit
3. Open the program after the installation. Click File > Open and find the original `pressapps-login-access.po` file located in the `languages` directory in plugin root.
4. Translate all the words to your language and save your translated file in the same (`languages`) directory with name of your language and country codes.
5. If your language is Russian and the country is Russia, then you must save the file like this: `pressapps-login-access-ru_RU.po`. Use “`pressapps-login-access-`“, then first parameter is a language code, second parameter is a country code. All languages codes can be found here:
<http://www.gnu.org/software/gettext/manual/gettext.html#Language-Codes>
and all countries codes can be found here:
<http://www.gnu.org/software/gettext/manual/gettext.html#Country-Codes>
6. Set site language under **Settings > General**:



Support

Support is only provided through external support system at <http://pressapps.co/help/>
If you have a pre-sale question feel free to use the item comments section on Envato.

Before contacting support please:

- Read this documentation
- Perform basic troubleshooting by disabling plugins and switching to default theme to identify possible cause
- Describe your problem in detail
- Include links
- Attach screenshot
- Include your WP and FTP login where appropriate